



# Functional jacket for extreme weather conditions

Wind- and water-proof fabric (3,000 mm water column) with PU coating Taped seams  $\,$ 

Breathable and permeable to vapour (3,000 g/m²/24h)

JN1011: lightly waisted

Hood in collar

2 concealed zipped pockets, breast pocket and inner mobile phone

pocket

Elastic cord with stoppers on hood and hem

Zip for decoration at the back

**Fabric:** Outer fabric: 100% polyester

Lining: 100% polyester

Country of origin: Volksrepublik China

Customs tariff number: 62024010

Care instructions:



# Partner article:



Men's Outer Jacket Art-Nr.: JN1010

### Available colours

	S	M	L	XL	XXL
Weight in g	464 g	478 g	503 g	526 g	552 g
VPE	1/20	1/20	1/20	1/20	1/20
(Pcs. per inner packaging					
/ pcs. per outer packaging					

Measurements in cm	S	М	L	XL	XXL
1/2 chest	52,00 cm	56,00 cm	60,00 cm	64,00 cm	68,00 cm
1/2 waist width	46,00 cm	50,00 cm	54,00 cm	58,00 cm	64,00 cm
1/2 bottom width	52,00 cm	56,00 cm	60,00 cm	64,00 cm	68,00 cm
front length from shoulder	64,00 cm	66,00 cm	68,00 cm	71,00 cm	74,00 cm
length back from shoulder	67,00 cm	69,00 cm	71,00 cm	74,00 cm	77,00 cm
sleevelength incl. shoulder	76,00 cm				

# Available colours









#### **OEKO-TEX® Stoff**

The fabric of this article has been tested for harmful substances and certified acc. to STANDARD 100 by OEKO-TEX®



# Breathable-Permeable to water vapour

Functional textiles must have the ability to transport moisture from the skin to the fabric surface as fast as possible. Permeability shows how much steam in grams can evaporate on a surface of 1 m2 within 24 hours. The higher this figure, the more breathable the textile is.



## Water column from 1.500 mm

The ability to withstand water pressure without moisture penetrating into the material is given by the water column (mm). The minimum standard is a water column of 1,500 mm.



## Taped seams

To avoid moisture penetrating into the fabric, seams and stitches can get taped. Taped seams are 100 % water-proof.

Stand: 29.05.2024 - 10:37:26